# MACHINE DESIGN

## Index to Volume 19, January to December 1947

### Author Index


Amend, Adolph—"Self-Winding Watches", May p.128
Anast, James L.—"Automatic Flight", Sept. p.116
Anderson, G. R.—"Unique Motor Utilizes Pancake Design", Aug. p.138
Anderson, H. W.—"Electronic Control", April p.101
Balleisen, C. E. and G. A. Hawkins—"High-Speed Photography", Part I—"External Surfaces and Opaque Objects", Aug. p.127; Part II—"Radiography and Motion Pictures", Sept. p.121
Barish, Thomas—"Ball Bearing Ratings", Feb. p.127
Benford, R. L.—"Bending Stiffness of Beams with Ribs or Slots" (Data Sheet), Feb. p.157
Blaurock, Edward E.—"Practical Design of Rubber Parts", March p.115
Bloomfield, B—"Designing Face Gears", April p.129
Bock, Walter E.—"Hydraulic-Electric System for Magnaflux Machine", Dec. p.107
Bolz, Roger W.—
"Design Aspects of the Machine Tool Show", Nov. p.113
"Production Processes, Their Influence on Design", Part XIX—"Metallizing", Jan. p.105; Part XX—"Impact Extrusion", Feb. p.115; Part XXI—"Production Milling, General Considerations", March p.123; Part XXII—"Production Milling, Design Factors", April p.169; Part XXIII—"Barrel Finishing", May p.131; Part XXIV—"Press Brake Forming", June p.137; Part XXV—"Precision Boring", July p.137; Part XXVI—"Thread and Form Rolling", Aug. p.145; Part XXVII—"Powder Metallurgy", Sept. p.139; Part XXVIII—"Rotary Impact Swaging", Oct. p.101; Part XXIX—"Roll Die Forging", Nov. p.129; Part XXX—"Wire and Ribbon Forming", Dec. p.141
Brewer, G. A.—
"Photogrid Process", Feb. p.120
"Welded Flanges", Nov. p.125
Caffrey, Charles S.—"Pneumatic Control Achieves Constant Roll Tension", Nov. p.123
Candee, Allan H.—"Kinematics of Cam and Follower", Feb. p.127
Canziani, Victor J.—"Rate-Detecting Gyro", Aug. p.142
Carr, E. G. and P. E. Nokes—"Electronic Measurement in Design", Feb. p.125
Cousins, Frank W.—"Simplified Analysis", Dec. p.121
Cowie, Alexander—"Planetary Gear Calculations" (Data Sheet), Sept. p.155
Cox, A. B.—
"Roll Deflection", Nov. p.147
"Unsymmetrical Sections", Feb. p.129
Craig, W. F., Jr., R. A. Lubker and W. E. Mahin—"Recent Developments in Metals and Their Processing", Oct. p.71
Crede, C. E., and J. P. Walsh—"Vibration-Isolation Bases", June p.157
Cunningham, Chester B.—"Remote Reading Tachometer Utilizes Capacitor Circuit", Jan. p.127
Cunningham, Joseph A.—"How To Select Wear Resisting Alloys for Welding" (Data Sheet), Jan. p.139
Currie, E. M.—"Helical Gear Design", Jan. p.100
Dall, Albert H.—"Machine Hydraulics", Part VI—"Trouble Shooting", March p.138
Delmer, P. T.—"Pneumatic Control Speeds Hydraulic Press Response", Oct. p.107
Delmonte, John—
"Molded Plastics Standards", Aug. p.151
"What's New in Plastics", Feb. p.101
Dooley, James L.—"Designing for Pneumatics", Part I—"General Considerations and Compressors", April p.115; Part II—"Pressure Selection and Receivers", May p.117; Part III—"Power Uses", June p.122; Part IV—"Control Uses", July p.130
Dorfman, H. D.—"Inertial Wheel Absorbs Shock" (Symposium), April p.111
Dudley, Winston M.—"A New Approach to Cam Design", July p.143
Eck, Robert N.—"D-C Relays", June p.117
Ehlinger, A. H.—"Rotating Disks", March p.132
Eklund, Nils—"Actuator Employs Friction Drive", April p.160
Engel, H. C. and W. W. Troxell—"Metal Faces with Honeycomb Core", March p.142
Everett, John L.—"Modern Synchros", April p.135
Fellows, R. L.—"Porcelain Enamels for Machine Parts", Feb. p.147
Fuller, Dudley D.—"Hydrostatic Lubrication", Part I—"Oil-Pad Bearings", June p.110; Part II—"Oil Lifts", July p.117; Part III—"Step Bearings", Aug. p.115; Part IV—"Oil Cushions", Sept. p.127
Gagne, Jr., A. F.
"Air Cylinders", Jan. p.118
"Overload Devices for Machine Protection", Oct. p.95
Geiger, George M.—"Hydraulic Booster Reduces Cycle Time" (Symposium), April p.113
Gepfert, J. H.—"Precise Speeds from Gear-Tooth Splitter", (Symposium), April p.110
Gerard, A. Albert—"Vulcanized Fiber for Machine Parts", Nov. p.109
Gibbons, H. B.—"Metal-Faced Balsa-Core Material", March p.114
Goodrich, Albert S., Jr.—"Solution of Equations Simplified", Nov. p.141
Goussios, Constantine—"How To Calculate Worm Gearing Proportions", Jan. p.129
Graves, B. P.—"Stepping Stones to Design", July p.101
Green, N. B.—"How Processing Effects Bolt Fatigue Strength", Dec. p.138
Greer, Edward M—"Applying Hydraulic Accumulators", Part I—"Accumulator Characteristics", April p.145; Part II—"Systems and Positioning", May p.107
Guins, Sergei G.—"High-Speed Movie Solves Tricky Problem", Dec. p.126
Hackethal, Paul F.—"Self-Adjusting Propeller", April p.141
Hartbauer, E. A.—"Cam Design for Constant Acceleration", Aug. p.161
Hawkins, G. A. and C. E. Balleisen—"High-Speed Photography", Part I—"External Surfaces and Opaque Objects", Aug. p.127; Part II—"Radiography and Motion Pictures", Sept. p.121
Heumann, G. W.—"Interlocks", April p.121
Hill, J. M., Jr., H. M. Quackenbos and C. E. Staff—"Comparing Plastics", July p.112
Hunsicker, H. Y.—"Aluminum Alloy Bearings", Jan. p.121
Jaeschke, R. L.—"Eddy-Current Clutches for Variable-Speed Drives", April p.151
Johnson, C. A.—"Equivalent Spur and Helical Gears", July p.155
Johnson, H. J. and P. O. Potts—"Graphical Solution . . . to the problems of connecting two lines by a third", May p.114
Kelly, F. G. and J. L. Zar—"Escapement Mechanisms", Feb. p.110
Kline, J. E.—"Air Size-Control", Oct. p.88
Korsberg, John F.—"Design of Sandwich Structure", March p.145
Lazan, B. J.—"Fatigue-Testing Machine", May p.123
Lipson, Charles—"Stress and Strength of Machine Parts", Feb. p.123
Littlejohn, H. E., Jr.—"Motor-Driven Rheostats", Dec. p.129
Lobenstein, Julian—"Selenium Rectifiers", March p.112
Long, Charles A.—"Autoclave Design", Aug. p.101
Lubker, R. A., W. F. Craig Jr. and W. E. Mahin—"Recent Developments in Metals and Their Processing", Oct. p.71
Mahin, W. E., W. F. Craig Jr. and R. A. Lubker—"Recent Developments in Metals and Their Processing", Oct. p.71
Marin, Joseph—"Stiffness of Ribbed Plates", May p.145
Moore, Frank L. and Robert J. Schneider—"Unique Dictating Machine", Feb. p.143
Nokes, P. E. and E. G. Carr—"Electronic Measurement in Design", Feb. p.125
Nyberg, Curt—"How Much Will the New Machine Cost", Nov. p.101
O'Connor, Bernard E.—"Torsional Vibration Damper", April p.155
Pearl, D. R.—"O-Ring Seals", May p.97
Perchonok, Eugene—"The Ram-Jet Engine", Oct. p.92
Peters, Elmer O.—"Controlled Friction", Nov. p.117
Pond, K. H.—
"Pneumatic System Indexes Machine", April p.109
"Specifying for Economy in Springs", Part I—Nov. p.120; Part II—Dec. p.115
Potts, P. O. and H. J. Johnson—"Graphical Solution . . . to the problem of connecting two lines by a third line", May p.114
Quackenbos, H. M., Jr., C. E. Staff and J. M. Hill Jr.—"Comparing Plastics", July p.112
Raech, Harry, Jr.—"Locking Fasteners", June p.128
Raines, Arnold—"Designing for Extreme Cold", May p.103
Ray, George D.—"Helicopter Control Systems", June p.101
Ross, H. F.—"Helical Spring Design Tables" (Data Sheet), March p.153
Schmidt, E. H.—"Cyclic Variations in Speed", March p.108
Schmoyer, R. L.—"Compressibility of Liquids", Aug. p.134
Schneider, Robert J. and Frank L. Moore—"Unique Dictating Machine", Feb. p.143
Schroeder, Walter—"Beam Deflections", Jan. p.85
Sherman, T. L.—"Slant Mechanisms—Principles and Application", Nov. p.135
Shields, Austin B.—"Universal Control of Induction Heater", Sept. p.147
Squibb, George R.—"Design of Large Broaching Machines", Feb. p.124
Staff, C. E., J. M. Hill and H. M. Quackenbos Jr.—"Comparing Plastics", July p.112
Stevens, W. C.—"Thermal Controls", April p.161
Tsimpidis, G. E.—"Automatic Sealing Machine", May p.87
Thornton, C. A. M.—"Putting Vibration to Work", Dec. p.147
Thumin, Carl—"Designing Quick-Acting Latch Releases", Sept. p.110
Tjensvold, R. O.—"Preferred Numbers", June p.133
Troxell, W. W. and H. C. Engel—"Metal Faces with Honeycomb Core", March p.142
Tyler, Ransom—"Designing Hydraulic Circuits", June p.143


* Denotes short articles of less than one page.

Ulinski, B. I.—"Dashpot Operates Controller", April p.114
Van Nort, J. L.—"Controls Tension on Winder Drive", April p.112
Walsh, J. P. and G. E. Crede—"Vibration-Isolating Bases", June p.157
Walters, W. E.—
"Drawing Three-Dimensional Assemblies", Oct. p.82
"Simplified Three-Dimensional Drawing", Jan. p.94
Warren, Charles W.—"Automatic Inspection System", July p.127
Wedge, A. C.—"Drawing-Change System", March p.101
Welch, David F.—
"Design Trends", Aug. p.109
"Designing for Improved Appearance", Sept. p.101
Wellauer, E. J.—"Which Cast Steel?" Part II—"Commercially Available Cast Steels", Jan. p.111; Part III—"Influences of Processing Operations", Feb. p.138
Wolf, Otto E.—"Fluid Film Clutch", Dec. p.135
Woodhouse, Harold—"Centrifugal Impellers", Aug. p.121
Woodling, George V.—"Trademarks for Machines", Feb. p.133
Yogerst, W. M.—"Fractional-Horsepower Motors", April p.105
Zar, J. L. and F. G. Kelly—"Escapement Mechanism", Feb. p.110
Ziebolz, H.—
"Designing Hydraulic Servos", July p.123
"Designing Pneumatic and Electric Servos", Sept. p.132
Zupa, Frank A.—"Optical Proximity Fuze", July p.108

# Subject Index

## A

Acceleration measurements, Sept. p.125
Accumulators:
applying hydraulic, Part I—Accumulator Characteristics, April p.145; Part II—Systems and Positioning, May p.107
hydraulic (Greer Hydraulics)*, April p.182
pneumatic, temperature compensated (Patents)*, Sept. p.154
without diaphragm (Patents)*, Jan. p.164
Actuators:
employ friction drive, April p.160
linear (Electrical Engrg. & Mfg.)*, June p.170
rotary, hydraulic (Adel Precision Products)*, May p.160
rotary, lightweight, low torque (Lear, Inc.)*, Feb. p.166
rotary, lightweight, medium torque (Lear, Inc.)*, March p.170
Adhesives:
brake shoe use (Scanning)*, June p.109
resin, cold-run (National Adhesives)*, Feb. p.166
rubber (United States Rubber Co.)*, May p.158
synthetic, waterproof (E. I. duPont)*, March p.166
tough and flexible (E. I. du Pont)*, Jan. p.156
Air compressors—(*see Compressors*)
Air-conditioning unit, self-contained (D.O.M.)*, Aug. p.159
Aircraft radio landing system (Topics)*, May p.84.
Air cylinders (*see Cylinders, pneumatic*)
Air size-control, Oct. p.88
Air-velocity meter (Hastings Instrument Co.)*, Oct. p.126
Alarm, oil-pressure (Oiltrol Co.)*, Oct. p.121
Algebraic equation solution simplified, Nov. p.141
Alternator (Kato Engineering)*, Jan. p.148
Aluminum, alloy-temper designation system*, Nov. p.128
Aluminum, 75S (Work Sheet), Jan. p.143
Aluminum, R300 alloy (Work Sheet), March p.159
Antennas, for airplanes, heating of (Topics)*, June p.98
Assembly method (Patents)*, July p.176
Attenuators, voltage, for electronic circuits (Daven Co.)*, Nov. p.168
Atom nucleus, density of (Topics)*, Jan. p.82
Atom smashers built on commercial basis (Topics)*, May p.84
Autoclave design, Aug. p.101
Automatic flight by electronic brain, Sept. p.116
Automatic miller forms shaped bar (Kent-Owens)*, July p.150
Automatic soldering speeds manufacture (Applications)*, May p.144
Axial air gap motor utilizes pancake design, Aug. p.138

## B

Balancing, dynamic, automatic in machine (Patents)*, Dec. p.176
Balancing of air compressor crankshaft (Scanning)*, May p.96
Ball detent has overload device, Oct. p.96
Balls, cemented-carbide (Carboloy Co.)*, Nov. p.164
Balls, tungsten-carbide (Industrial Tectonics)*, May p.158
Barrel finishing, as a production process, May p.131
Bars, tungsten carbide extruded (Kennametal Inc.)*, May p.156
Beam deflections, graphical, Jan. p.85
Beams, bending stiffness of (Data Sheet), Feb. p.157
Bearings, adapter (Standard Locknut and Lockwasher)*, May p.152
Bearings, ball:
flange unit (Dodge Mfg.)*, May p.151
low-cost (Nice Ball Bearing)*, April p.179
miniature (New Hampshire Ball Bearings)*, July p. 166
ratings of, Feb. p.127
sealed (Marlin-Rockwell)*, Nov. p.167
single-row, sealed (Fafnir Bearing)*, Nov. p.170
shock absorbing (Patents)*, July p.176
Bearing operation, analysis of, by photography, Dec. p.126
Bearings, lubrication of, Aug. p.115
Bearings, needle (Orange Roller Bearing Co.)*, June p.170
Bearings, pillow block, self-aligning (Western Thermal)*, Nov. p.167
Bearings, roller:
cam follower (McGill)*, Dec. p.169
have sphered inner rings (Scanning)*, May p.94
pillow block (Shafer Bearings)*, Feb. p.161
spherical, largest built in U. S. (Topics)*, Feb. p.98
tapered, adjustment of (Patents)*, Jan. p.164
Bearings, sleeve:
aluminum alloy, Jan. p.121
corrosion-resistant, for all liquids (Scanning)*, Nov. p.108
powder metal (Wel-Met Company)*, Sept. p.172
Bearings, slipper type, Sept. p.128
Bearings, spherical:
self-aligning (Adel Precision)*, Oct. p.122
two-piece (Southwest Products)*, June p.162
Bearings, take up (Dodge Mfg. Corp.)*, April p.177
Bender, tangent (D.O.M.)*, Aug. p.148
Bellows, used for data transmission (Applications)*, Dec. p.156
Belt-centering servo on grinder-polisher (D.O.M.)*, Oct. p.111
Binding post, electrical (Superior Electric)*, Aug. p.174
Blueprinting machine, discussion of (D.O.M.)*, Oct. p.110
Blueprinting machine, automatic (Paragon-Revolute)*, Nov. p.172
Bobbin, fabricated of plastics (Synthane Corp.)*, June p.127
Bolt fatigue strength, effect of processing on, Dec. p.138
Books:
*Aeronautical Drafting Manual SAE**, Feb. p.159
*Atmospheric Exposure Test of Nonferrous Metals.* ASTM*, Dec. p.163
*Changing the Shape of Metals with an Engine Lathe**, March p.163
*Cold Bending of Metals*, Wallace Supplies Mfg. Co.*, July p.156
*Concise Chemical and Technical Dictionary* by H. Bennett*, Oct. p.119
*Developing Marketable Products and Their Packaging* by Ben Nash*, Oct. p.119
*Design of Machine Members*, by Vallance and Doughtie*, Dec. p.163
*Electrical Engineering*, by Fred H. Pumphrey*, Dec. p.163
*Electrical Machinery* by Liwschitz-Garik and Whipple*, June p.174
*Electron Tubes, Gas and Power Type* (RCA)*, June p.174
*Experimental Stress Analysis, Vol. IV, No. I*, by Society for Experimental Stress Analysis*, June p.174
*Explosion and Combustion Processes in Gases*, by Wilhelm Jost*, Dec. p.163
*Finishing Metal Products* by H. R. Simonds*, April p.168.
*Hoyer-Kreuter Technological Dictionary**, Jan. p.162
*Inventor's Magna Charta* by Edwin Hopkins*, July p.156
*Machine Design* by Vladimir L. Maleev*, July p.156
*Magnesium* by Pidgeon, Mathes, Woldman, Winkler and Loose*, Jan. p.162
*Mathematical Methods in Engineering* by Theodore V. Karman*, July p.156
*Mechanical Measurements by Electrical Methods* by Howard G. Roberts*, Feb. p.159
*Metco Metallizing Handbook*, Metallizing Engrg. Co.*, June p.174
*Modern Organic Finishes* by Rolin H. Wampler*, Feb. p.159
*Modern Plastics Encyclopedia* 1947*, Oct. p.119
*Precision Hole Location* by J. Robert Moore*, April p.168
*Resistance Welding Manual**, Oct. p.119
*Rubber in Engineering**, Jan. p.162
*Science and Life in the World**, March p.163
*Selection of Steel for Welding* by S. L. Hoyt*, March p.163
*Solid-Phase Welding* by Augustus B. Kinzel*, June p.174
*Standard Practices for Stationary Diesel Engines**, Jan. p.162
*Technology of Plastics and Resins* by J. F. Manning and J. P. Mason*, March p.163
*Technique of Executive Control* by Erwin H. Schell*, Feb. p.159
*Trademark Act of* 1946 by H. A. Toulmin, Jr.*, April p.168
Boring machine (D.O.M.)*, Sept. p.150
Brake drums, metallic type (Copperweld Steel)*, Oct. p.123
Brakes, eddy-current (Scanning)*, Aug. p.105
Brazing, by induction heating (Scanning)*, Feb. p.109
Brazing, developments in, Oct. p.78
Brazing, landing-gear strut assembled by (Applications), Dec. p.156
Brazing, precedes hardening in Tocco machine (Applications)*, March p.152
Broach sharpener, design of (D.O.M.)*, Jan. p.135
Broaching machine, design of, Feb. p.124
Booster, hydraulic, reduces cycle time (Symposium)*, April p.113

## C

Cable, nylon-covered steel (Danielson Mfg.)*, Oct. p.122
Calculator, yield-strength (Aluminum Research Institute)*, June p.172
Caliper, inside-outside (Park Sales)*, Oct. p.126
Cameras:
multiple flash type in design analysis, Sept. p.122
optical system of (Scanning)*, Aug. p.105
ribbon-frame type for high-speed measurements, Sept. p.124
rotating-prism, for high-speed measurements, Sept. p.123
Cams:
design, a new approach to, July p.143
design change (Data Sheet), Aug. p.161
kinematics of, Feb. p.127
replaceable (Patents)*, Dec. p.176

* Denotes short articles of less than one page.

Capacitors:
electrofilm type (General Electric)*, March p.166
electrolytic (Solar Mfg. Corp.)*, Oct. p.120
energy storage (Solar Mfg. Corp.)*, July p.168
metal deposited on paper (Topics)*, Feb. p.98
midget, self-healing (Solar Mfg. Corp.)*, Feb. p.170
miniature, flat, phenolic-cased (Tobe Deutschmann)*, Nov. p.167
miniature, rounded flat, (Sprague Electric)*, Aug. p.166
vacuum type (Amperex Electronic)*, April p.182
Carbon (Work Sheet), July p.157
Cast iron, standard (Work Sheets), Dec. p.159
Casters, free swiveling (Rapids-Standard)*, Feb. p.160
Casters, high-strength aluminum (Market Forge Co.)*, Nov. p.170
Casters, rubber-tired rigid and swivel types (Aerol Co.)*, Aug. p.168
Castings:
centrifugal, discussion of, Oct. p.76
investment (Cooper Alloy Foundry)*, June p.163
investment, mercury used as patterns (Topics)*, March p.98
vacuum process, discussion of, Oct. p.77
Cemented carbides, inserts for (Topics)*, April p.98
Centrifugal impellers, Aug. p.121
Ceramics, glazes for coating combustion chambers (Topics)*, Nov. p.98
Ceramics, used as springs (Topics)*, Sept. p.98
Chart, electron-tube, wall (Westinghouse Electric)*, Nov. p.172
Circuit analyzer (General Electric)*, July p.172
Circuit breaker, thermal-electric (Square D)*, Dec. p.166
Circuit breaker (Square D)*, July p.164
Circuit breaker (Westinghouse Electric)*, April p.179
Cleat for conveyors (Rapids-Standard Co.)*, June p.166
Clutches:
air-actuated (Twin Disc Clutch Co.)*, July p.164
centrifugal mercury actuated (Patents)*, March p.178
eddy-current for variable-speed drives, April p.151
assembly, packaged (Marine Products)*, Dec. p.172
fluid film, design of, Dec. p.135
friction, constant torque capacity (Patents)*, Nov. p.176
have controlled friction, Nov. p.117
pneumatic powered, gives operator "feel" (Scanning)*, Sept. p.107
reduce breakage (Applications)*, March p.152
spring type (Scanning)*, Jan. p.91
Coatings (*see Finishes*)
Collectors, current (Scanning)*, June p.109
Comparator, optical, Pant-o-jector (Scanning)*, Feb. p.106
Compass, beam (Stewart-Jackson Instrument)*, April p.186
Compass, beam, flexible (Omicron)*, Dec. p.174
Compass, electronic (Scanning)*, March p.106
Compressibility of liquids, Aug. p.134
Compressors, air:
has unique crank arm (Scanning)*, May p.96
integral cooling fin type (D.O.M.)*, Aug. p.158
one and two stage (Worthington Pump)*, Jan. p.152
two stage (The Hobart Bros)*, March p.164
two-stage (Sullivan Div.)*, Dec. p.168
Computer, frequency (American Hydromath)*, Jan. p.158
Condensers (*see Capacitors*)
Conduit, synthetic-covered electric (American Metal Hose)*, May. p.162
Connectors:
cable (Aircraft Marine Prod.)*, Dec. p.164
coaxial cable (Barker & Williamson)*, Aug. p.164
electric, multiple (Scintilla Magneto Div.)*, Dec. p.166
electric wire (Thomas & Betts)*, Dec. p.170
microphone, steel shell (Cannon Electric)*, March p.172
multiple type (Alden Products Co.)*, July p.170
screw-clamp for cable (Gedney Electric)*, April p.180
solderless (American Marine Products)*, Feb. p.164
solderless (Holub Industries)*, March p.170
solderless (Solar Electric Corp.)*, Oct. p.123
solderless (Solar Electric Corp.)*, June p.161
Contact tape (D. E. Makepeace)*, Feb. p.160
Contactors, electronic (Square D. Co.)*, May p.160
Contactor, mechanically-held (Square D)*, June p.163
Contactors, solenoid-operated (Ward Leonard)*, Dec. p.165
Contacts, precious-metal electrical (Gibson Electric)*, Sept. p.176
Contour measuring, July p.138
Controllers:
motor, electronic (Federal Electric Products)*, July p.163
pressure recorder (Gotham Instrument)*, Feb. p.166
pyrometric temperature (Taco West Corp.)*, Aug. p.174
time cycle (Holcomb & Hoke Mfg.)*, Sept. p.169
timer (Lancaster Photo Products)*, July p.174
timer (Photoswitch Inc.)*, July p.162
voltage regulator (Sorenson & Co., Inc.)*, April p.179
Controls (*also see specific control*)
contour reproducing (Patents)*, Jan. p.164
electric switching (Counter & Control Corp.)*, April p.182
electronic, April p.101
helicopters, June p.101
hydraulic, system of (Air Associates)*, March p.168
induction heater, Sept. p.147
irreversible, June p.104
liquid level (Photoswitch Inc.)*, April p.180
pendant, for crane motors (Scanning)*, Jan. p.92
pneumatic (Lehigh Foundries)*, Jan. p.154
predetermined (Patents)*, March p.178
synchro-start engine type (Synchro-Start Products)*, Aug. p.168
temperature, high accuracy (Claude S. Gordon)*, March p.172
temperature unit (Claude S. Gordon)*, Nov. p.164
thermal, April p.161
time cycle (The Bristol Co.)*, Oct. p.123
welding, nonsynchronous (General Electric)*, March p.172
Coolant system containing filters (Inject-A-Flow)*, March p.168
Copper alloys, developments in, Oct. p.75
Copper-tungsten alloy (Ampco Metal)*, Aug. p.168
Cost estimation, applied to new machines, Nov. p.101
Counterbalance used on vision-testing machine (D.O.M.)*, Oct. p.113
Counters:
electrically operated (Production Instruments)*, Sept. p.172
electronic (Potter Instrument)*, April p.184
electronic foolproof (Lansing Engineering Co.)*, Oct. p.125
electronic, high-speed (Scanning)*, March p.107
high-speed (Durant Mfg. Co.)*, June p.170
photoelectric (Photoswitch, Inc.)*, June p.164
rotary and stroke types (Durant Mfg. Co.)*, March p.164
two and three-shift pick (Durant Mfg. Co.)*, March p.168
Couplings:
flexible (Industrial Machine Works Inc.)*, Jan. p.146
flexible (Morse Chain Co.)*, June p.168
gear type (John Waldron)*, Jan. p.150
high-pressure hose (Eas-E-Go Products)*, Aug. p.170
hydraulic (Twin Disc Clutch)*, Feb. p.160
hydraulic, serves as overload device, Oct. p.98
manifold (Marman Products)*, April p.178
single type, (Thomas Flexible Coupling)*, May p.152
Crankshafts, cast at Ford Motor Co. (Scanning)*, Oct. p.81
Crystal, frequency control (North American Philips)*, June p.166
Cutout, overload, for torque limiting (Anchor Steel & Conveyor)*, Nov. p.168
Cyclic variations in speed, mechanisms for, March p.108
Cylinders:
aluminum, have steel sleeves (Scanning)*, June p.107
booster, oil-operated (Askania Regulator)*, March p.172
engraved from flat patterns, March p.141
hydraulic (National Hydraulic Co.)*, March p.174
hydraulic (Hannifin Corp.)*, July p.162
hydraulic, for punch (Scanning)*, Dec. p.114
hydraulic, simplified (Lindberg Engrg.)*, Dec. p.164
pneumatic, control of, Jan. p.118
pneumatic, for holding operations (Air-Trol)*, March p.168
pneumatic, nonpush type (Modernair Corp.)*, Feb. p.163
solve conveying problems (Applications)*, Feb. p.156


## D


Damper, torsional using silicone fluid, April p.155
Damping, frictional, in latch design, Sept. p.114
Dashpot operates controller, April p.114
Data Sheets:
bending stiffness of beams with ribs or slots, Feb. p.157
cam design for constant acceleration, Aug. p.161
equivalent spur and helical gears, July p.155
gear-pin size specification charts, Jan. p.149
helical spring design tables, March p.153
new high-speed helical and herringbone gear standard, Dec. p.157
planetary gear design, Sept. p.155
ribbed plate stiffness calculation, May p.145
roll deflection calculation, Nov. p.147
vibration-isolating bases, June p.157
Deckle edge trimmer (Scanning)*, Aug. p.107
Dental unit (D.O.M.)*, Aug. p.156
Designing:
for extreme cold, May, p.103
for improved appearance, Sept. p.101
new approach to, June p.146
stepping stones to, July p.101
trends in machinery, Aug. p.109
Detectors, metal, electronic (Topics)*, Aug. p.98
Dial illumination by back lighting (Scanning)*, July p.107
Dials, precision engraved (American Precision Dial Co.)*, May p.158
Diamond-dies drilling methods (Scanning)*, July p.105
Diamonds, used to detect Gamma radiations (Topics)*, Nov. p.98
Dictating machine, design discussion, Feb. p.143
Die cushion, rubber diaphragm (Applications)*, Feb. p.156
Diesel has novel oil-pressure control (D.O.M.)*, July p.152
Dilatometer, continuous recording (D.O.M.)*, Feb. p.153
Dish washer, motorless (D.O.M.)*, Feb. p.152
Disks, rotating, stresses in, March p.132
Displacement-camera, for measurement of high speed, Aug. p.128
Drafting:
Aeronautical Manual, SAE*, Feb. p.159
boards (Engineering Mfg. Co.)*, Nov. p.174
boards, vertical, save space (Scanning)*, Oct. p.80
drawing-change system, March p.101
machine (V & E Mfg. Co.)*, July p.172
pencil, mechanical (Nord Products)*, Jan. p.160
practice standardization, undertaken by SAE*, Nov. p.112
scale (Stewart-Jackson Instrument Co.)*, March p.176
set (Charles Bruning Co.)* Aug. p.176
slide rule, circular log-log (Tavella Sales)*, Jan. p.158
slide rule, deci log-log (Pickett & Eckel)*, Nov. p.172
tray (A. Wayne Nunemaker & Associates)*, Aug. p.176
three-dimensional, Jan. p.94
three-dimensional assemblies, Oct. p.82
triangle, floating (Instrumaster Industries)*, April p.186
Drilling machine, crankshaft (D.O.M.)*, Sept. p.152
Drink vendor, automatic (D.O.M.)*, Nov. p.144
Drives, electrofluid (Link Belt)*, Jan. p.146
Drives, gearshift, selective speed (Lima Electric Motor Co.)*, March p.174
Drives, variable-speed (B. F. Goodrich)*, May p.152
Dry-ice pellets for tumbling (Topics)*, May p.84


## E


Education, what is expected of engineering, July p.101
Electric motors (*see Motors, electric*)
Electric-servo design, Sept. p.132
Electric-hydraulic system for control of Magnaflux machine, Dec. p.107
Electro deposition of tungsten alloys (Topics)*, Dec. p.102
Electropolishing solution, glycolic acid base (Topics)*, Aug. p.98


* Denotes short articles of less than one page.

Electrodes, welding:
all position (Air Reduction Sales)*, May p.151
aluminum-bronze (Metal & Thermit)*, July p.164
automatic (Air Reduction Sales)*, Feb. p.166
bronze oxyacetylene type (Linde Air Products)*, May p.160
direct-current (Westinghouse Electric)*, April p.182
general-purpose, mild-steel welding (Air Reduction Sales)*, Sept. p.176
high-speed welding (Westinghouse Electric)*, Sept. p.178
hard facing (Lincoln Electric)*, Aug. p.172
has grid construction (Scanning)*, Jan. p.93
knurled type, (Wilson Welder & Metals Co.)*, July p.168
light-gage welding (A. O. Smith Corp.)*, Oct. p.123
metallic coated for welding (Topics)*, May p.84
mild-steel (Westinghouse Electric)*, July p.163
nickel and nickel-copper alloys (Arcos Corp.)*, March p.164
shielded-arc (American Chain & Cable Co.)*, June p.166
shielded-arc (Ampco Metal Inc.)*, May p.154
stainless-steel (Air Reduction Sales)*, June p.162
stainless-steel (Eutectic Welding Alloys)*, April p.177
stainless steel (General Electric)*, July p.166
Electron-beam tube servomechanisms, Sept. p.136
Electronic circuits (Topics)*, May p.84
Electronics aid hydraulic circuit analysis, March p.121
Electronic control of mechanisms, April p.101
Electroplating, by reverse current (Scanning)*, April p.166
Elinvar Extra, constant modulus material for springs (Topics)*, Nov. p.98
Enamel, plastic (United States Rubber)*, Jan. p.154
Enamel, porcelain, for machine parts, Feb. p.147
Energy absorption in latch design, Sept. p.115
Energy dissipators, eddy-current for trucks (Scanning)*, Aug. p.105
Engineering department (*see also Drafting*):
drawing-change system, March p.101
Engines:
aircraft, transport (Abstracts)*, March p.184
controls, synchro-start (Synchro-Start Products)*, Aug. p.168
gasoline, four-cycle (Uebelhoer Bros.)*, Dec. p.163
ram-jet, Oct. p.92
single-cylinder (Scott Engine Co.)*, June p.161
single-cylinder air-cooled (Clinton Machine Co.)*, May p.158
single-cylinder, air-cooled (Continental Motors Corp.)*, Sept. p.169
single-cylinder, air-cooled (Ellinwood Industries)*, May p.154
single-cylinder, two-cycle (McCulloch Motors)*, April p.179
two-cycle (McCulloch Motors)*, Feb. p.160
two-cycle (Power Products Corp.)*, June p.164
two-cycle, opposed-piston (McCulloch Motors)*, March p.166
two-cylinder, four-cycle 10 hp. (D. W. Onan & Sons)*, Sept. p.170
Escapement, mechanism redesign, Feb. p.110
Estimating design cost, Nov. p.104
Executive control, the technique of*, Feb. p.159
Expansion, thermal, of materials (Topics)*, June p.98
Exploded-view drawing, Oct. p.82
Extrusion, impact, discussion of, Feb. p.115


## F


Facsimile machine has combination housing (D.O.M.)*, Aug. p.158
Fan has lead housing (Application)*, Aug. p.160
Fasteners (also see specific types):
blind light-metal (South Chester Corp.)*, Oct. p.121
locking, an analysis of, June p.128
quick release (Lion Fastener Inc.)*, Aug. p.163
shield-can (Palnut Co.)*, Aug. p.172
Fatigue-testing machine employs inertia compensator, May p.123
Fatigue testing machine produces constant force (D.O.M.)*, June p.152
Feed drives, vibrating, Dec. p.147
Feeder drive, variable-speed (Sprout, Waldron & Co.)*, Sept. p.176
Feeder, vibratory hopper (Miskella Infra-Red)*, Sept. p.174
Filters:
air, for oil-fog removal (Moore Products Co.)*, July p.168
cartridge type laminated (C. M. Fuller Co.)*, March p.165
coolant system (Inject-A-Flow)*, March p.168
fabric-type, oil (Engine Life Products Corp.)*, Sept. p.176
oil sump type (Marvel Engineering)*, April p.178
replaceable cartridge type (Bowser Inc.)*, May p.152
Finishes:
aluminum (Colonial Alloys Co.)*, March p.166
aluminum (American Chemical Paint)*, Nov. p.165
aluminum alloy (Topics)*, Sept. p.98
aluminum, colored (Colonial Alloys)*, Dec. p.167
aluminum dip-type (Colonial Alloys)*, Aug. p.164
enamel, plastic (United States Rubber)*, Jan. p.154
organic (Watson-Standard Co.)*, May p.162
organic, book on*, Feb. p.159
paint, high temperature (Topics)*, April p.98
porcelain enamel for machine parts, Feb. p.147
surface, standard blocks (Edward Blake Co.)*, March p.176
zinc applied by brushing, dipping or spraying (Scanning)*, Sept. p.108
zinc base (Industrial Metal Protectives)*, Sept. p.174
Fissionable material, energy of, (Topics)*, Jan. p.82
Fittings:
forged tubing (Imperial Brass Mfg. Co.)*, May p.156
pipe, forged type (Ladish Drop Forge Co.)*, Sept. p.169
self-flaring hydraulic (Brockway Co.)*, June p.168
stainless steel for welding (Tube Turns)*, April p.178
tube, forged (Flodar Corp.)*, Dec. p.166
Flanges, welded, strength of, Nov. p.125
Flashlight, flexible tubing (Holub Industries)*, Feb. p.172
Flight control, automatic, Sept. p.116
Flow inspection in automatic magnetic machines (Topics)*, May p.84
Flowmeter, Rotameter (Fischer & Porter)*, Jan. p.150
Flowmeter, Rotameter (Schutte & Koerting)*, Jan. p.154
Follower, roller type (Roller Bearing Co. of America)*, Oct. p.120


* Denotes short articles of less than one page.


Footcandle selector (General Electric)*, June p.172
Frequency computer (American Hydromath Co.)*, Jan. p.158
Friction, effect on metallurgical properties*, Feb. p.114
Furnace safeguard, photoelectric (Combustion Control)*, March p.174
Fuze, optical proximity, July p.108


## G


Gages:
liquid-level (Uehling Instrument Co.)*, Sept. p.178
oil (Oil-Rite Corp.)*, Sept. p.172
pressure, liquid or gas (Dayton Rogers)*, Aug. p.172
thickness, crystal-type (Branson Instruments Co.)*, May p.164
Gaskets (*see also Seals*):
forged (Steel Improvement & Forge)*, Jan. p.156
Gears:
drive, spiral in drill head (D.O.M.)*, Dec. p.155
face, designing of, April, p.129
helical, design of, Jan. p.100
high speed, helical and herringbone standard, Dec. p.157
spur and helical equivalents (Data Sheet), July p.155
worm gear, calculating proportions of, Jan. p.129
Gear finisher (D.O.M.)*, Sept. p.152
Gear shaper, planetary (D.O.M.)*, Sept. p.153
Generator, motor, set (Kato Engineering Co.)*, May p.154
Generator, motor, set (Kato Engineering)*, Aug. p.172
Generators, dielectric heating (Westinghouse Electric)*, July p.162
Glass, plate, in electronic transmitter (D.O.M.)*, Aug. p.156
Graeffe's root-squaring method for equation solution, Nov. p.141
Graphical mathematics methods, Dec. p.121
Graphical solution to intersecting lines, May p.114
Grinders:
double vertical spindle (D.O.M.), March p.149
for spherical surfaces (D.O.M.), Sept. p.153
internal, employs axial ball bearings (D.O.M.), July p.151
polisher has belt-centering servo (D.O.M.), Oct. p.111
Grinding, carbide wheels for close tolerances (Scanning)*, March p.105
Gyro, for rate detecting, has electromagnetic pickup, Aug. p.142
Gyro unit with high moment of inertia (Patents)*, July p.176


## H


Hardening in induction machine (Applications)*, March p.152
Headers, glass to metal hermetic seals (Hermetic Seal Products)*, Aug. p.164
Heat exchanger (Eastern Industries)*, July p.161
Heat exchanger for gas heating (Goodyear Industries, Inc.)*, Sept. p.170
Heaters:
dielectric (General Electric)*, Jan. p.146
electric (Industrial Chamberheat Laboratories)*, June p.164
home type (D.O.M.)*, Aug. p.159
oven (Edwin L. Wiegand)*, Jan. p.150
Helicopter, control systems for, June p.101
Helicopter, twin-rotor type, has intermeshing blades*, Sept. p.186
Hinge for plastics containers (Scanning)*, Dec. p.112
Hobbing machine (D.O.M.)*, Sept. p.151
Hopper feed utilizes vibration (Scanning)*, Oct. p.81
Hose (also see tubing):
ventilating, spiral-wire reinforced (American Ventilating Hose)*, Feb. p.164
Hydraulics:
accumulators, Part I—Accumulator characteristics, April p.145; Part II—Systems and positioning, May p.107
air hydraulic system for press (Scanning)* Jan. p.92
booster reduces cycle time* April p.113
circuit analysis by electronics March p.121
circuit design June p.143
coupling used as transmission (Applications)* Oct. p.114
electric-hydraulic system for control of Magnaflux machine, Dec. p.107
machine for trouble shooting March p.138
power units (Aldrich Pump)* July p.164
power units, high pressure (Hannifin)* Nov. p.165
self-sealing closure Aug. p.102
servos, design of, July p.123
system, design of, Dec. p.109
water-operated cylinders, lift pasteurizer lid (D.O.M.)* Jan. p.136
Hydrogen absorption, causes embrittlement Aug. p.103
Hydrostatic lubrication, Part I—Oil-pad bearings, June p.110; Part II—Oil lifts, July p.117; Part III—Step bearings, Aug. p.115; Part IV—Oil cushions, Sept. p.127
Hyperco, magnetic alloys (Topics)*, Aug. p.98


## I


Ignition, electronic, for aircraft (Topics)*, Jan. p.82
Impellers, centrifugal Aug. p.121
Indexing, pneumatic machine April p.109
Indicator, elapsed-time (Marion Electrical Instrument)*, May p.154
Indicator, humidity (Eljay Enterprises)*, Jan. p.152
Indicator, tension and weight (W. C. Dillon Co.)*, Feb. p.172
Induction hardening reduces fatigue failure (Applications)*, Nov. p.146
Induction heater control Sept. p.147
Induction heating, brazing by (Scanning)*, Feb. p.108
Inductor gun brings heat to work (Scanning)*, July p.106
Injection feed device for rubber injection molding machine (Scanning)*, Sept. p.107
Inserts for carbide parts (Topics)*, April p.98
Inspection system, automatic, for checking parts July p.127
Instrument for aerial navigation (Topics)*, May p.84

Wichita City Library


Insulation:
  Santocel material (Topics)*, Aug. p.98
  silicone for motors (Topics)*, April p.98
  stripping by flame (Scanning)*, Aug. p.107
  tester, line-voltage (James G. Biddle)*, Nov. p.174
Intercommunication system (RCA)*, June p.172
Interlocks, use in machine controls April p.121
Inventions, greatly needed*, July p.111
Isotopes, detection by new methods*, Sept. p.106

K

Kilovoltmeters, high-sensitivity (Shallcross Mfg. Co.)*, Sept. p.180
Kinematics of cam and follower Feb. p.127

L

Laminations, plastic bonded Aug. p.143
Lamps:
  fluorescent (Duro Test Corp.)*, July p.174
  fluorescent, circular (Homecraft Electronic Products)*, Nov. p.174
  fluorescent, miniature (Stocker & Yale)*, Feb. p.172
  indicator, voltage (Holub Industries)*, Feb. p.172
  infrared (General Electric)*, Jan. p.156
Landing wheels for aircraft, cross-wind type (Topics)*, Aug. p.98
Latch design, magnetic Sept. p.112
Latch releases, designing quick-acting types Sept. p.110
Lathes:
  automatic 5-spindle (D.O.M.)*, Aug. p.156
  Centilathe (D.O.M.)*, Sept. p.150
  Man-Au-Trol, horizontal (D.O.M.)*, Sept. p.153
  saddle type, turret (D.O.M.)*, Sept. p.150
Lead fan housing (Applications)*, Aug. p.160
Lens, toroidal in proximity fuze July p.108
Lift truck push-pull attachment (Scanning)*, April p.167
Lighting fixture, fluorescent (Bright Light Reflector Co.)*, Aug. p.176
Lighting, indirect, for instruments (Scanning)*, Dec. p.114
Lighting system for airports (Scanning)*, July p.104
Lights, pilot (Engineering Associates)*, April p.182
Linestarter, explosion-tested (Westinghouse)*, Nov. p.166
Liquid compressibility and effect on high pressure design, Aug. p.134
Loader, cargo, for aircraft (D.O.M.)*, March p.150
Lock, hydraulic (Adel Precision Products)*, Feb. p.161
Locomotives, 20th century limited (D.O.M.)*, Aug. p.157
Lubrication:
  air, discussion of, Aug. p.115
  hydrostatic, Part I—Oil-pad bearings, June p.110; Part II—Oil lifts, July p.117; Part III—Step bearings, Aug. p.115; Part IV—Oil cushions, Sept. p.127
  injectors for (Lincoln Engineering)*, Nov. p.168
  materials, synthetic (Topics)*, May p.84
  oiler, heavy duty (Wm. Nugent & Co.)*, March p.172
  oilers, multiple (Gits Bros.)*, Dec. p.169
  oiler, wick type (Oil Rite)*, Dec. p.168
  systems (Rivett Lathe & Grinder)*, Feb. p.162

M

Machines *(see also specific machines)*:
  cost estimation, Nov. p.101
  protection devices, Oct. p.95
  tool show, design aspects of, Nov. p.113
Machine member design (Books)*, Dec. p.163
Magnesium, aircraft wings cast of (Topics)*, June p.98
Magnesium, aircraft control surfaces made of (Topics)*, Nov. p.98
Magnesium alloys, developments in, Oct. p.75
Magnetic alloys (Hyperco) Topics*, Aug. p.98
Magnetic sound track for motion-picture films (Scanning)*, Nov. p.106
Magnetic safety linkage (Patents)*, March p.178
Magnetos, direct-driven (Scintilla Magneto Div.)*, Oct. p.122
Magnets, nonmetallic, Vectolite (Topics)*, Jan. p.82
Magnets with 4000-lb pull (Topics)*, April p.98
Magnets, Alnico (Stackpole Carbon)*, Jan. p.150
Magnifying glass (Dayton Rogers)*, Aug. p.176
Materials *(see also specific material)*:
  directory of, Oct. p.143
  honeycomb core with metal faces, March p.142
  Hyperco, magnetic alloy (Topics)*, Aug. p.98
  metal-faced balsa-core, March p.144
  Metalite, metal sandwich material, March p.144
  Moldaloy, low melting alloy (Trethaway)*, March p.174
  plastics, molded, Aug. p.151
  plastics, what's new in? Feb. p.101
  producers, listing of, Oct. p.235
  rustproof alloy (Topics)*, May p.84
  Santocel, insulating type, (Topics)*, Aug. p.98
  sapphire for thread guides (Applications)*, p.138
  sandwich, symposium on, March p.142
  silicone resin (Dow Corning)*, Jan. p.146
  Styrofoam (Dow Chemical)*, Jan. p.147
  tradenamed, listing of, Oct. p.181
  woven (General Electric)*, June p.168
Materials Work Sheets:
  aluminum alloys, R300 Series, March p.159
  aluminum alloys, 75S, Jan. p.143
  carbon and graphite, July p.157
  Meehanite, May p.147
  standard cast irons, Dec. p.159
  steels, wrought AISI types, Part I—Sept. p.157; Part II—Nov. p.151
Mathematics, graphical system of, Dec. p.121
Measurement, electronic, in design, Feb. p.125
Measurement, mechanical, by electrical methods*, Feb. p.159
Measuring device for curved surfaces, July p.136
Mechanisms supply cyclic speed variation, March p.108
Mechanisms *(See specific mechanism)*:
Mechanisms, control of, electronic, April p.101
Metal detectors, electronic (Topics)*, Aug. p.98
Metal, sheet preplated (American Nickeloid)*, Dec. p.172
Metallizing, discussion of, Jan. p.105
Metals and their processing, Oct. p.71
Metals, ferrous, developments in, Oct. p.72
Metals, nonferrous, developments in, Oct. p.74
Meters:
  electrical, panel-type (Assembly Products Inc.)*, Sept. p.172
  electrical, panel-type (Shurite Meters)*, Sept. p.178
  running-time (R. W. Cramer)*, Nov. p.170
  tire pressure (Topics)*, April p.98
Micrometer, electronically operated, has pick-up coil (Scanning)*, June p.107
Micrometer, tubular (Tubular Micrometer Co.)*, June p.172
Microphone, condenser type (Kellogg Switchboard & Supply)*, March p.176
Milling machine, electronic controls of, April p.101
Molded plastics standards, design practice, Aug. p.151
Molder, injection, for plastics (D.O.M.)*, June p.154
Molding machine for hamburger patty (D.O.M.)*, Jan. p.137
Molding press for plastics (D.O.M.)*, Aug. p.157
Molybdenum, produced in various sizes and shapes (Topics)*, Nov. p.98
Motion measurement by displacement camera, Aug. p.128
Motors, electric:
  axial air-gap (Fairbanks, Morse & Co.)*, July p.161
  base for, welded type (Overly-Hautz Co.)*, March p.166
  direct-current (Alni Corp.)*, June p.164
  direct-current constant-speed (Amglo Corp.)*, May p.156
  direct-current, variable speed (Scanning)*, Feb. p.107
  for Grand Coulee dam (Topics)*, Jan. p.82
  fractional-horsepower (Alliance Mfg.)*, Feb. p.161
  fractional-horsepower, application of, April p.105
  fractional-horsepower (Cyclohm Motor Corp.)*, June p.161
  fractional-horsepower (Electric Indicator Co.)*, Oct. p.123
  fractional-horsepower (Fairchild Camera & Instrument Corp.)*, Sept. p.168
  fractional-horsepower (Kurman Electronics)*, May p.154
  fractional-horsepower (Oster)*, Dec. p.167
  fractional-horsepower (Pesco Products)*, Jan. p.147
  fractional-horsepower (Redmond Co., Inc.)*, Oct. p.124
  fractional-horsepower (Redmond)*, Dec. p.163
  gear type (John Oster Mfg. Co.)*, Aug. p.164
  general-purpose (L. & R. Mfg.)*, Dec. p.164
  high-speed, (Skinner Chuck)*, Dec. p.163
  induction, all-steel (Westinghouse)*, Feb. p.164
  induction, heavy-duty (Electric Machinery Mfg. Co.)*, Aug. p.163
  induction, shaded-pole (Gleason-Avery, Inc.)*, Oct. p.122
  induction, vertical (General Electric)*, April p.178
  pancake, has axial air gap, Aug. p.138
  rheostat driving (Ward Leonard)*, March p.165
  servo (Transicoil Co.)*, Jan. p.152
  shaded-pole (Electric Motor Div.)*, Dec. p.165
  silicone-insulated (Topics)*, April p.98
  split-phase (Bodine)*, Dec. p.169
  synchronous low-speed (General Electric)*, Sept. p.172
  synchronous (R. W. Cramer)*, April p.177
  synchronous self-starting (Kurman Electronics)*, Sept. p.170
  timer (A. W. Haydon Co.)*, June p.166
  totally enclosed (Kato Engrg.)*, Dec. p.172
  universal, high-speed (Electrical Engineering & Mfg. Corp.)*, Aug. p.170
  universal, small (Cyclohm Motor Corp.)*, April p.176
  wear in high speed (Topics)*, April p.98
  weather-proof (Allis-Chalmers)*, Jan. p.154
Motors, gasoline *(see Engines)*
Motors, hydraulic (Denison Engineering)*, Feb. p.160
Motors, hydraulic (Gerotor May Corp.)*, July p.161
Motors, pneumatic (Gast Mfg. Co.)*, March p.168
Mountings, vibration:
  bolt-on type (Finn & Co.)*, March p.165
  design of, June p.157
  has integral spring (Korfund Co.)*, Oct. p.121
  low frequency (Vibration Eliminator Co.)*, Nov. p.167
  multiplane (Lord Mfg. Co.)*, Feb. p.162

N

Neoprene-covered ball, in check valve (Applications)*, Oct. p.114
Nickel used in ocean sounder (Applications)*, July p.154
Nozzle, high-capacity, atomizing (Spraying Systems)*, July p.170
Nozzle, high capacity, drying (Spraying Systems Co.)*, Aug. p.166
Nozzle, lightweight, sensitive spraying (Lonn Mfg. Co.)*, March p.174
Numbers, preferred, June p.133
Nuts:
  large forged (Joseph Dyson & Sons)*, Nov. p.164
  locking (Elastic Stop Nut Corp.)*, July p.162
  locking, use Nylon (The Nylok Corp.)*, Oct. p.121
Nylon, application in motor, Aug. p.144

O

Ohmmeter, probe-type (Sylvania Electric Products)*, July p.172
Optical proximity fuze, July p.108
Optical system for camera (Scanning)*, Aug. p.105


* Denotes short articles of less than one page.

Oscilloscope, three-inch portable (Waterman Products Co.)*, Aug. p.176
Overload devices for machine protection, Oct. p.95

## P

Packaged elements form production machine (Applications)*, April p.175
Packing expander, strip type (HPL Mfg. Co.)*, Sept. p.178
Panelboard, electric (Federal Electric Products)*, June p.168
Pant-O-Jector, optical comparator (Scanning)*, Feb. p.106
Paper, drafting-board (Charles Bruning Co.)*, June p.172
Paper-winder drive controls tension, April p.112
Pasteurizer, discussion of (D.O.M.)*, Jan. p.136
Patents:
accumulator, pneumatic, temperature compensated*, Sept. p.154
accumulator without diaphragm*, Jan. p.164
assembly system, obviates use of screws*, July p.176
balancing, dynamic, automatic, Dec. p.176
ball bearings, shock and shear-resistant*, July p.176
cams, replaceable, Dec. p.176
clutch, friction constant torque capacity*, Nov. p.176
clutching, centrifugal*, March p.178
constant-tension device for aircraft cables*, Feb. p.178
control, automatic pattern follower*, Jan. p.164
control, predetermined*, March p.178
gyro unit with high moment of inertia*, July p.176
hydraulic circuit with manual power*, June p.176
locking system, automatic, stepless*, June p.176
lubrication method*, May p.166
magnetic safety linkage*, March p.178
pawl control, friction responsive*, Nov. p.176
pistons, liquid-cooled*, March p.178
pressure control for compressor, Dec. p.176
ratchet mechanism, one-way rotation*, Jan. p.164
roller-bearing, adjustment of*, Jan. p.164
rotary seals for bearings*, June p.176
sealing by shrink fitting*, July p.176
seals for valve seats*, June p.176
servo control*, Jan. p.164
servo system, dc, self-synchronous*, Sept. p.154
selector switch uses multiple contacts*, Feb. p.178
shock-diminishing device*, May p.166
strain gage, carbon pile type*, May p.166
torque converter, hydraulic turbine type*, Sept. p.154
transmitter system with self-synchronous units*, Feb. p.178
valves, cam action*, July p.176
valves, equalizing, for speed control*, Nov. p.176
valves, hydraulic fluid release*, Sept. p.154
valve, hydraulic, speed control, for cylinder-driven machines*, Nov. p.176
valve, low-loss type*, May p.166
valve, proportioning, temperature controlling, Dec. p.176
Pawl control, friction responsive (Patents)*, Nov. p.176
Pen, drafting, uses capillary-action principle (Scanning)*, Nov. p.108
Pen, ruling, balanced (V. & E. Mfg.)*. Dec. p.174
Pencil, multi-color, mechanical (Ross-Frederick Corp.)*, Sept. p.180
Pencil rack (Morrison & Sons)*, May p.164
Perforator, for checks (D.O.M.)*, Aug. p.157
Photography, high-speed, Sept. p.121
Photography, high-speed for motion analysis, Aug. p.127
Photoelectric actuator (Potter Instruments)*, Aug. p.166
Photo-copy machine (General Photo Products)*, Aug. p.176
Photocopying machine (Hunter)*, Dec. p.174
Photographic analysis of bearing operation, Dec. p.126
Photogrid process, discussion of, Feb. p.120
Phototube, capsule-size (Radio Corp. of America)*, July p.166
Pipe, hot-cold (Scanning)*, Sept. p.109
Piston in plastics press has dual-function (D.O.M.)*, Nov. p.144
Pistons, liquid-cooled (Patents)*, March p.178
Pivots, spring steel, mounted in many positions (Scanning)*, Sept. p.109
Planetary gear calculation (Data Sheet), Sept. p.155
Plastics:
asbestos-phenolic, properties of*, July p.114
canvas laminates, properties of*, July p.114
cellulose-acetate, properties of*, July p.114
clips eliminate short circuits (Applications)*, June p.156
comparison of, July p.112
fabric-phenolic, properties of *, July p.114
fan blade uses of (Applications)*, March p.152
fiber-glass laminates, properties of*, July p.114
fixture simplifies layout (Scanning)*, Dec. p.112
Geon polyblend (B. F. Goodrich Chemical)*, Nov. p.166
mica-phenolics, properties of*, July p.114
paper laminates, properties of*, July p.114
physical properties of molding materials (Data Sheet), Oct. p.115
polymethacrylate, properties of*, July p.114
polystyrene, properties of*, July p.114
polytetrafluoroethylene, uses of, Feb. p.101
recent developments in, Feb. p.101
roller of, increases life of lawnmower (Applications)*, April p.175
silicone, uses of, Feb. p.104
specification of molded, Aug. p.151
Styrofoam, expanded Stryon (Dow Chemical)*, Jan. p.147
Teflon, tetrafluoroethylene resin (Topics)*, March p.98
thermosetting, Selectron (Pittsburgh Plate Glass)*, Dec. p.166
what's new in? Feb. p.101
woodflour-phenolic, properties of, July p.114
Plates ribbed, stiffness of, May p.145
Plating, electroless, nickel and cobalt without current (Topics)*, Sept. p.98
Plating, rhodium (P. R. Mallory & Co.)*, July p.168
Pneumatics:
control achieves constant roll tension, Nov. p.123
cylinder control, June p.123
design for, Part I—"General considerations and compressors", April p.115; Part II—"Pressure selection and receivers", May p.117; Part III—"Power uses", June p.122; Part IV—"Control uses", July p.130
indexing machine, system, April p.109
press control, Oct. p.107
servo design, Sept. p.132
system for indexing machine, April p.109
used by jet bomber*, Aug. p.133
Polytetrafluoroethylene (*see Teflon*), March p.98
Porcelain enamel for machine parts, Feb. p.147
Porcelains, high-strength all-crystalline, (Scanning)*, Aug. p.106
Positioning-control system (GE)*, Aug. p.170
Potentiometer, self-balancing (General Electric)*, Oct. p.126
Potentiometer, wire-wound, ganged, (Fairchild Camera & Instrument)*, July p.164
Powder metallurgy, in production processes, Sept. p.139
Power supply, portable (Superior Electric)*, Nov. p.172
Power units, hydraulic (B. F. Perkins & Son, Inc.)*, June p.162
Power units, hydraulic (Vickers Inc.)*, July p.163
Power unit, hydraulic, two-stage (Simplex Engrg.)*, Dec. p.165
Practical design of rubber parts, March p.115
Precise speeds for gear-tooth splitter, April p.110
Preferred numbers, June p.133
Presses:
capacity calculator (Calculator Co.)*, Jan. p.160
drill, combined in machine (Applications)*, April p.175
miniature (Denison Engineering)*, June p.163
pneumatically controlled, Oct. p.107
Pressure control for compressors (Patents)*, Dec. p.176
Pressure vessel design, Aug. p.101
Press-welding apparatus (Topics)*, May p.84
Printer, vacuum-seal, contact (Remington Rand Inc.)*, Sept. p.180
Printers:
developers (Charles Bruning)*, April p.186
developers (Ozalid)*, Jan. p.158
printer, photo (Foster Sales Co.)*, May p.164
Processes (*see also Production*):
photogrid, for testing, Feb. p.120
Profilometer tracer (Physicists Research Co.)*, March p.176
Production:
barrel finishing, May p.131
beading, April p.175
forging, roll die, Nov. p.129
impact extrusion, Feb. p.115
metallizing, Jan. p.105
milling, design factors, April p.169
milling, general considerations, March p.123
powder metallurgy, Sept. p.139
precision boring, July p.137
press brake forming, June p.137
processes, influence on design, Part XIX—Metallizing, Jan. p.105; Part XX—Impact extrusion, Feb. p.115; Part XXI—Milling, general considerations, March p.123; Part XXII—Milling, design factors, April p.169; Part XXIII—Barrel finishing, May p.131; Part XXIV—Press brake forming, June p.137; Part XXV—Precision boring, July p.137; Part XXVI—Thread and form rolling, Aug. p.145; Part XXVII—Powder metallurgy, Sept. p.139; Part XXVIII—Rotary impact swaging, Oct. p.101; Part XXIX—Roll die forging, Nov. p.129; Part XXX—Wire and ribbon forming, Dec. p.141.
roll-die forging, Nov. p.129
swaging, Oct. p.101
thread rolling, Aug. p.145
trimming, (Applications)*, April p.175
wire forming, Dec. p.141
Program clock for automatic control (D.O.M.)*, June p.150
Projectors, lumenized optics type (D.O.M.)*, May p.142
Propeller, self-adjusting, employs natural forces, April p.141
Proportional relationships of machine parts, Sept. p.104
Protractor, isometric (Accro Products Co.)*, March p.176
Protection, overload devices for machine, Oct. p.95
Pulleys:
permanent-magnet (Eriez Mfg. Co.)*, Oct. p.124
v-belt (Congress Tool & Die Co.)*, April p.178
variable-pitch (Gerbing Mfg.)*, Oct. p.125
variable pitch (Scientiae Corp.)*, Aug. p.170
Pumps, fluid:
centrifugal, cast iron (Allis-Chalmers)*, Feb. p.162
centrifugal, circulating (Ruthman Machinery)*, Sept. p.170
centrifugal, corrosion-resistant (Ampco)*, Dec. p.167
coolant (Ruthman Machinery Co.)*, Jan. p.146
coolant, with tank (Rockwell Mfg.)*, Jan. p.150
hand-type, shallow-well (Bogue Electric)*, June p.166
medium pressure, gear (Sier-Bath Gear & Pump Co.)*, Aug. p.164
medium-pressure (Candler-Hill Corp.)*, July p.170
rotary, general service (Worthington Pump)*, May p.160
vane, rotary (Romec Pump Co.)*, April p.176
Pumps, hydraulic:
contains valves (Pesco Products)*, July p.163
fifty-cubic inch (John S. Barnes Corp.)*, Aug. p.174
gear-type (Hydro-Power)*, Dec. p.168
gear-type for lubrication systems (Bijur Lubricating)*, Nov. p.167
hand-type (Electrol, Inc.)*, April p.180; June p.168
hand-type (Hydraulics Corp.)*, May p.151
lightweight, high-pressure (Superdraulic)*, March p.172
lubrication (McIntyre Co.)*, Feb. p.163
medium pressure (Dusenbury)*, Dec. p.169
medium pressure (Gerotor May)*, March p.164
packaged unit (Vickers, Inc.)*, April p.180
piston type (Denison Engineering Co.)*, April p.177
radial-piston, high-pressure (Hydro-Power)*, Dec. p.164
with tank (Gerotor May Corp.)*, Aug. p.164
Punch, power (Scanning)*, Jan. p.93
Pyrometers:
have high conductive shields (Scanning)*, March p.106
kit (Pyrometer Service Co.)*, July p.174
portable kit (Wheelco Instruments)*, Oct. p.126

## Q, R

Quick-acting latch release design, Sept. p.110
Radar, marine navigation (Topics)*, April p.98
Radar waves, used for material analysis (Scanning)*, Oct. p.79

* Denotes short articles of less than one page.

Radio, combination has disappearing automatic phonograph (D.O.M.)*, June p.155
Radio-phonograph mechanism (Philco Corp.)*, May p.138
Radiograph made with 20 million volt x-ray (Scanning)*, Feb. p.109
Radiography and motion pictures in design analysis, Sept. p.121
Radius guide, transparent, plastics (Rapidesign Inc.)*, Nov. p.174
Ram-jet engine design, Oct. p.92
Ratchet for brake, broached (Applications)*, Aug. p.160
Ratchet, rotation mechanism (Patents)*, Jan. p.164
Rate-detecting gyro with electromagnetic pickup, Aug. p.142
Rectifiers:
  mercury-vapor tube (Clark Electronic)*, Oct. p.125
  metallic, for motor operation (Scanning)*, Aug. p.107
  selenium (Federal Telephone & Radio Corp.)*, Feb. p.162
  selenium (Radio Receptor Co.)*, June p.164
  selenium (Topics)*, Jan. p.82
  selenium, March p.112
  tube, thyratron type (Chatham Electronics)*, Aug. p.166
Reel for vacuum cleaner cord (D.O.M.)*, Oct. p.112
Refrigerating machine, centrifugal (D.O.M.)*, May, p.142
Regulators, pressure (A. Schrader's Son)*, May p.154
Regulators, voltage (Sorensen Voltage Regulator Co.)*, June p.170
Relays:
  appliance, ac (G.E.)*, Dec. p.170
  current-sensitive, dc (General Electric)*, July p.162
  interchangeable-part (Guardian Electric)*, July p.168
  jogging, June p.121
  latching (Sigma Instrument Co.)*, Sept. p.174
  lightweight, dc (C. P. Clare Co.)*, Aug. p.168
  magnetic (Mack Electric Devices)*, Jan. p.152
  magnetic (R-B-M Div., Essex Wire Corp.)*, Sept. p.168
  magnetic, midget (Ward Leonard)*, Feb. p.166
  motor braking, June p.121
  motor control, dc, June p.117
  motor-starting (Potter & Brumfield)*, Jan. p.148
  motor-starting (Ward Leonard Electric)*, July p.161
  multipole, sequence (Struthers-Dunn)*, April p.179
  overload, June p.117
  plug-in type (Sigma Instruments, Inc.)*, July p.170
  plug-in (Ward Leonard)*, April p.184
  resonant, plug-in (Stevens Arnold Co.)*, Feb. p.162
  vending-machine (R-B-M Div., Essex Wire Corp.)*, Oct. p.124
Remote transmission systems, Sept. p.137
Resistance-measuring instrument (James G. Biddle Co.)*, Sept. p.180
Resistors:
  vitreous enamel (Ward Leonard)*, Jan. p.148
  water-cooled (International Resistance Co.)*, June p.161
  wire-wound (Ohmite Mfg.)*, Oct. p.122
  wire-wound, high-capacity (Ward Leonard)*, Nov. p.166
Rheostats, automatic current control (Electric Regulator Corp.)*, Aug.
Rheostats, motor-driven, Dec. p.114
Rheostats, motor drive (Ward Leonard)*, March p.165
  p.174
Rings, retaining, interlocking (Waldes Kohinoor)*, Feb. p.161
Rivet, blind (Cherry Rivet Co.)*, Feb. p.163
Rivets, Plexiglas (Douglas Aircraft Co.)*, April p.177
Riveting gun, Tempotool (Scanning)*, Feb. p.108
Roaster, electric (D.O.M.)*, May p.139
Roll deflection, formulas for calculating, Nov. p.147
Roll die forging, production process, Nov. p.129
Rolling mill, Sendzimir*, June p.127
Roll-spacing in flour mill electrically controlled (D.O.M.)*, Dec. p.152
Rolls, strip mill (Kennametal Inc.)*, Feb. p.170
Roll tension pneumatically controlled, Nov. p.123
Room cooler, window-mounting type (D.O.M.)*, Aug. p.156
Rotary impact swaging, Oct. p.101
Rotors, shaved at high-speed (Applications)*, July p.154
Roughness, surface (Topics)*, Jan. p.82
Rubber:
  cellular, for insulating (U. S. Rubber)*, Feb. p.163
  diaphragm of, in die cushion (Applications)*, Feb. p.156
  parts of, practical design of, March p.115
  shackle, has long life (Applications)*, Nov. p.146
  synthetic has good wear resistance (Topics)*, Sept. p.98

## S

Safety factors for pressure vessels, Aug. p.102
Sandwich materials, symposium on, March p.142
Santocel, insulating material (Topics)*, Aug. p.98
Sapphires used as thread guides (Applications)*, Jan. p.138
Schlieren analysis of high-speed motion, Aug. p.132
Scooter, motor, design of (D.O.M.)*, Jan. p.134
Screen trap, for pipes (Cooney Valve & Screen Co.)*, July p.164
Screen, wire (John A. Roebling's Sons)*, April p.182
Screw machine, automatic, five-spindle (D.O.M.), Sept. p.153
Screw machine (D.O.M.)*, Sept. p.152
Screw machine, Dialmatic (D.O.M.)*, Sept. p.150
Screw thread forming, Aug. p.145
Sealing by shrink fit (Patents)*, July p.176
Sealing machines for straight-through handling of containers, May
  p.87
Seals (*see also Gaskets*):
  carbon-ring type (Gits Bros.)*, Sept. p.168
  hydraulic, on dough mixing machine (Scanning)*, Aug. p.108
  mechanism, for centrifugal compressors (Scanning)*, Nov. p.106
  oil, nonmetallic (Johns-Manville)*, Jan. p.147
  O-Ring, May p.96
  rolled-type (Sealol Corp.)*, Feb. p.163
  roller bearing (Shafer Bearing Corp.)*, May p.156
Sectional properties, calculation of, Feb. p.129
Selenium rectifiers (see Rectifiers):
Self-sealing pressure closure, Aug. p.102
Selsyn motor applications in flight controller, Sept. p.120
Sendzimir rolling mill*, June p.127
Sequence selector in flight controller, Sept. p.120
Servo controls:
  announced (Yardeny Laboratories)*, June p.163
  hydraulic, design of, July p.123
  mechanism (G. C. Wilson & Co.)*, May p.160
  of hydraulic hoists (Patents)*, Jan. p.164
  pneumatic and electric, design of, Sept. p.132
  system, direct-current, self-synchronous (Patents)*, Sept. p.154
Sewing machine, design of, Feb. p.136
Shaper, discussion of (D.O.M.)*, Sept. p.151
Sheaves, groove-type (Worthington Pump)*, March p.165
Shock-load dissipation, April p.111
Shroud for fan reduces vibration (Applications)*, June p.156
Silicones:
  insulation (Topics)*, April p.98
  in torsional vibration damper, April p.155
  lubricant, high temperature (Dow Corning)*, Oct. p.121
  resin, thermosetting (Dow Corning Corp)*, Jan. p.146
Size-control, achieved pneumatically, Oct. p.88
Sizing control, for automatic honing (Scanning)*, Nov. p.107
Slant mechanisms, principles and application of, Nov. p.135
Slide rule, circular log-log (Tavella Sales)*, Jan. p.158
Slide rule, deci log-log (Pickett & Eckel)*, Nov. p.172
Slotter, hydraulic (D.O.M.)*, Sept. p.151
Sockets, tube, ceramic (American Phenolic)*, Dec. p.168
Soldering of aluminum by copper plating (Topics)*, Sept. p.98
Solenoid, alternating-current, bi-polar type (Automatic Switch)*,
  March p.164
Solenoid control, for ship propulsion gears (Scanning)*, July p.107
Solenoid, rotary, for 180-degree rotation (Scanning)*, July p.106
Solenoid control, for ship propulsion gears (Scanning)*, July p.107
Speed changers:
  miniature (Metron Instrument Co.)*, Aug. p.163
Speed reducers:
  air-cooled (Cone Drive Div.)*, Dec. p.165
  four-speed (Speed Drives Inc.)*, March p.165
  fractional-horsepower (Euclid Machine & Tool Co.)*, Nov. p.164
  increases load capacity (Applications)*, Nov. p.146
Springs:
  ceramic, special properties of (Topics)*, Sept. p.98
  contact (Gibson Electric)*, Jan. p.152
  economy, how to specify for, Part I, Nov. p.120; Part II, Dec. p.115
  flat, partially sheared (Scanning)*, March p.105
  helical, design of (Data Sheet)*, March p.153
  torsion type, uses rubber (Applications)*, May p.144
Stabilizing systems in helicopters, June p.103
Stamping machine (D.O.M.)*, Sept. p.151
Stampings, trimmed and beaded (Applications)*, April p.175
Standards catalog listing of ASA Standards*, April p.168
Standards, drafting room, American Society of Mechanical Engineers*,
  April p.168
Standards, helical gears, Dec. p.157
Standards, "Limits and Fits for Engineering and Manufacturing" B
  4.1-1947 (Topics)*, Aug. p.98
Starters:
  automatic motor, nonreversing (Ward Leonard)*, Nov. p.168
  magnetic (Arrow-Hart & Hegeman)*, May p.151
  magnetic, (Federal Electric Products)*, June p.170
  slip-ring, reduces breakage (Applications)*, March p.152
Steels:
  alloy (Carnegie-Illinois Steel Corp.)*, Oct. p.125
  aluminum-clad (Mallory & Company)*, Aug. p.163-164
  bar, rolled (F. J. Holliday)*, April p.177
  boron, have high hardenability, Oct. p.72
  cast, Part II—commercially available cast steels, Jan. p.111; Part
    III—Influence of processing operations, Feb. p.138
  clad strip (Superior Steel)*, March p.165
  stainless-clad, mild (Topics)*, April p.98
  stainless-clad (Lukens Steel Co.)*, May p.152
  stainless, developments in, Oct. p.73
  wrought AISI types (Work Sheets), Part I—Sept. p.157; Part II—
    Nov. p.151
Stepping stones to design, July p.101
Stereoscope, measures visual skills (D.O.M.)*, March p.148
Strain analysis measurements, by photography, Sept. p.126
Strain gage, determines loading in press (Applications)*, Aug. p.160
Strainer, pipe, Lucite (Zurn)*, Feb. p.168
Strainer, sediment, twin (Zurn)*, Dec. p.168
Streamlining of machines, Aug. p.112
Strength and stress of machine parts, Feb. p.123
Stress Analysis (Book)*, June p.174
Stress and strength of machine parts, Feb. p.123
Stresses, expansion, caused by dissimilar metals, Aug. p.104
Stresses, rotating disk, analysis of, March p.132
Structural parts, design of, Feb. p.123
Structures, sandwich, design of, March p.145
Styling of machinery, Sept. p.101
Styling trends in machinery, Aug. p.109
Surface finish, specification of (Abstracts)*, March p.184
Surface treatment of machine parts, Sept. p.105
Switch actuators (Unimax Switch Co.)*, Sept. p.174
Switches:
  control contouring machine (Applications)*, June p.156
  cut-out (George Ulanet)*, Feb. p.168
  foot, (Electronic Controls)*, March p.170
  heavy-duty appliance (Trilmont Products)*, Oct. p.120
  limit (Bendix Aviation)*, June p.163
  limit, ganged, open-blade (Acro Electric)*, Nov. p.170
  limit, oilproof track-type (General Electric)*, Feb. p.170
  limit, snap-type, (Square D)*, May p.151
  magnetic limit (Cutler Hammer)*, Jan. p.148
  mercury (Mercontrol, Inc.)*, April p.176
  mercury, hermetically sealed (Chatham Electronics)*, Aug. p.163
  momentary pushbutton (Grayhill Co.)*, Feb. p.168
  multiple-contact (Clare & Co.)*, June p.170
  multiposition (Grayhill Co.)*, June p.168
  pressure-actuated (Cook Elec.)*, Dec. p.170
  pressure-operated (Aerotec Co.)*, Feb. p.166
  pressure-operated (Cook Electric)*, June p.163
  pressure-operated (Meletron)*, March p.170
  reverse (Euclid Electric)*, Jan. p.156
  safety (Trumbull Electric Mfg.)*, April p.184
  selector, multiple-contact (Patents)*, Feb. p.178
  snap-action (Guardian Electric Mfg. Co.)*, July p.166
  snap-action (Unimax Switch Corp.)*, July p.170
  snap-action, low-load (Micro Switch)*, Feb. p.170
  snap-action, miniature (Mu-Switch Corp.)*, Sept. p.169
  snap-action, open-blade, (Acro Electric)*, April p.180
  snap-action, sealed (Micro Switch Div.)*, Nov. p.166

* Denotes short articles of less than one page.

snap-action, unhoused (Micro Switch)*, May p.152
snap, safety, through-cord (Trilmont Products)*, May p.162
test for switchboard instruments (Westinghouse)*, March p.166
Synchros, application in control, April p.135

## T

T-square, transparent edged (Engrg. Mfg.)*, Dec. p.174
Table, dial-feed (The A. K. Allen Co.)*, Aug. p.168
Table, work, adjustable (Haskell Mfg. Co.)*, Nov. p.174
Tachometer adapter, angle (Metron Instrument)*, Dec. p.174
Tachometers:
electronic (General Electric)*, Feb. p.168
hand (Metron Instrument Co.)*, May p.164
hand (O. Zernickow)*, Jan. p.160
low-speed (Metron Instrument)*, Jan. p.158
remote reading*, Jan. p.127
stationary type (O. Zernickow Co.)*, May p.162
synchronous speed (Metron Instrument)*, Feb. p.172
Tape, contact (D. E. Makepeace)*, Feb. p.160
Teflon for acid-line gaskets (Topics)*, March p.98
Telemetering system, for tracking rockets (Scanning)*, April p.166
Television color systems, Aug. p.114
Temperature controller, pyrometric (Taco West Corp.)*, Aug. p.174
Templates for layout work (Scanning)*, Dec. p.113
Tension, constant device (Patents)*, Feb. p.178
Tension controls on winder drive, April p.112
Terminal block (Scintilla Magneto Div.)*, Nov. p.168
Terminal block, for low-current circuits (Cannon Electric)*, Aug. p.172
Terminal lug, (Thomas & Betts)*, Aug. p.170
Tester, hardness (Scanning)*, June p.108
Tester, tube, portable (Precision Apparatus)*, March p.176
Testing:
machine has new construction principle*, Sept. p.126
plastic strain, Feb. p.120
ultrasonic, for metal flaws (Topics)*, March p.98
wing structure aid tires*, Feb. p.114
Thermocouple, close control type (Arklay S. Richards)*, June p.162
Thermometers, immersion type (W. C. Dillon & Co.)*, Jan. p.160
Thermostats:
close temperature control (Stevens Mfg. Co.)*, March p.164
expanding tube type (Smith Control & Instrument)*, July p.163
explosionproof (United Electric Controls)*, Feb. p.170
for use with liquids (Alloy Bellows Engrg.)*, May p.160
immersion-type (General Controls Co.)*, Nov. p.164
immersion-type (United Electric Controls)*, Jan. p.147
preset type (Mechanical Industries Prod. Co.)*, July p.166
remote-bulb type (United Electric Controls)*, Feb. p.163
use in machines, April p.161
Thread rolling, Aug. p.145
Threading, internal and external (Applications)*, Oct. p.114
Timers:
electronic measuring (Metron Instrument)*, Aug. p.166
electronic welding (Westinghouse)*, July p.166
multicircuit (R. W. Cramer)*, Nov. p. 170
signalling (Industrial Timer Corp.)*, June p.162
time-pressure recording device (Electro Products Lab.)*, July p.174
Tires, truck, have Nylon carcass (Topics)*, May p.84
Toggle mechanism locks die-casting machine (D.O.M.)*, Dec. p.153
Torque converter, hydraulic turbine type, (Patents)*, Sept. p.154
Torque-limiting clutches in aircraft engine starters, Nov. p.117
Torsion bars in automobile engine (Scanning)*, Oct. p.79
Tracer, profilometer (Physicists Research Co.)*, June p.172
Trademarks for machines, Feb. p.133
Transformer, cable-type input (Amperite Co.)*, Sept. p.178
Transformers, current (General Electric)*, March p.168
Transformers, step-down (Essex Wire Corp.)*, Sept. p.176
Translators, use in design, June p.146
Tray, developing (Pronto Inc.)*, July p.174
Tube tester, portable (Precision Apparatus)*, March p.176
Transmissions:
synchronous receiving and transmitting (Patents)*, Feb. p.178
variable-speed (Flinchbaugh Co.)*, April p.176
variable-speed, constant-torque (Speed Selector)*, Feb. p.161
variable-speed, eddy-current clutches for, April p.151
variable-speed, electric (Louis Allis)*, Dec. p.170
variable-speed, electronic (Raytheon Mfg. Co.)*, April p.184
variable-speed, hydraulic (Oilgear)*, Dec. p.163
variable-speed, hydraulic (Oilgear Co.)*, Oct. p.125
variable-speed, hydraulic (Portman Machine Tool Co.)*, Sept. p.168
variable-speed, precise speeds for gear-tooth splitter, April p.110
variable-speed, rolling ball principle (Scanning)*, June p.108
Transmitter, frequency modulation (D.O.M.)*, Aug. p.156
Tube, current regulating (Amperite)*, Dec. p.167
Tubing:
extruded by high-temperature process (Topics)*, Aug. p.98
flexible (Warner Brothers Co.)*, June p.166
flexible (Warner Brothers Co.)*, May p.156
flexible, for oil (U. S. Rubber)*, Dec. p.163
flexible metal (Carbo-Flex Co.)*, May p.154
flexible metal (Pennsylvania Flexible)*, April p.184
flexible metal (U. S. Rubber Co.)*, Aug. p.166
flexible, Monel (Titeflex)*, Dec. p.166
flexible, seamless bronze (Seamlex Co. Inc.)*, Sept. p.176
hydraulic cylinder of (Applications)*, May p.144
metal (Reynolds Metals)*, July p.161
metal, new manufacturing method for (Topics)*, June p.98
metal, spiral four-ply (Pratt Industries)*, March p.165
nonmetallic insulating, (William Brandt Co.)*, March p.174
Tungsten alloys, electro deposition of (Topics)*, Dec. p.102
Tungsten-carbide extruded bars (Kennametal Inc.)*, May p.156
Tungsten, powder-metal alloy (P. R. Mallory & Co.)*, Oct. p.123
Turbines, starting aircraft gas type (Abstracts)*, Feb. p.174
Turn-miller, crankshaft (D.O.M.)*, Sept. p.152
Turntable, ball-bearing (Whiting Corp)*, Feb. p.161
Typewriter of future (D.O.M.)*, Aug. p.158

## U

Universal joint, ball type (Universal Joint Co.)*, Oct. p.120
Unsymmetrical sections, property calculations, Feb. p.129

## V

Vacuum cleaner, canister-type (D.O.M.)*, Aug. p.159
Vacuum cleaner has retractable cord (Cordomatic Div.)*, Oct. p.112
Vacuum cleaner, employs vertical dust bag (D.O.M.)*, Dec. p.154
Vacuum cleaner of light metals (D.O.M.)*, Aug. p.159
Vacuum measurement tubes (Topics)*, Aug. p.98
Vacuum pick-ups, May p.88
Vacuum tube, traveling wave (Scanning)*, Feb. p.107
Valves:
cam action (Patents)*, July p.176
check, dual-seat (Mansfield & Green)*, June p.166
check, nonmetallic (Grove Regulator Co.)*, Sept. p.169
diaphragm control (H. Belfield Co.)*, June p.164
diaphragm, motor type (Fischer & Porter Co.)*, May p.156
equalizing, for speed control (Patents)*, Nov. p.176
fractional-inch (Parker Appliance)*, Jan. p.147
fuel-tank selector (Electrol Inc.)*, Oct. p.121
high-pressure, control (Shafer Valve)*, Dec. p.169
high-pressure, relief (Denison)*, Dec. p.166
hydraulic fluid release, (Patents)*, Sept. p.154
hydraulic, 4-port (Task Enterprises)*, Aug. p.168
hydraulic, high pressure, Aug. p.104
hydraulic, needle (Kerotest Mfg. Co.)*, Aug. p.163
hydraulic, relief (Electrol, Inc.)*, Oct. p.120
hydraulic speed control (Electrol Inc.)*, Feb. p.164
hydraulic, speed control (Patents)*, Nov. p.176
pneumatic (Mead Specialties Co.)*, June p.163
pneumatic, control (Logansport Machine Co.)*, July p.168
pneumatic, exhaust (Mead Specialties)*, April p.176
pneumatic, foot-operated (National Pneumatic Co.)*, Feb. p.168
pneumatic, hand-operated (Lindberg Engineering)*, Sept. p.170
pneumatic, poppet-type (Ross Operating Valve Co.)*, Nov. p.165
pneumatic, solenoid (Automatic Valve Inc.)*, March p.170
pneumatic, three-way (H. Belfield Co.)*, Sept. p.169
precise flow control (Standard Instrument)*, Jan. p.154
pressure relief (Superdraulic Corp.)*, April p.177
proportioning, temperature controlling (Patents)*, Dec. p.176
pushbutton, packless (Henry Valve Co.)*, Sept. p.174
safety relief (Farris Engineering Corp.)*, Oct. p.124
solenoid (Simoniz Co.)*, April p.178
solenoid, for low capacities (Henry Valve Co.)*, Feb. p.164
solenoid operated (Automatic Valve)*, Dec. p.164
solenoid three-way (Numatics)*, Jan. p.152
solenoid two-way (Electrol Inc.)*, May p.158
speed-control (Electrol Inc.)*, Feb. p.164
two-part, gasoline type (Scanning)*, May p.95
Variable-speed transmission *(see Transmissions)*
Variable speed drives, eddy-current clutches for, April p.151
Varnish, high-strength, used for rotors (Applications)*, Dec. p.156
Vendor, drink, automatic (D.O.M.)*, Nov. p.144
Vibrometer (Televiso Products Co.)*, July p.172
Vibrating drives, Dec. p.147
Vision-testing machine uses counterbalance (D.O.M.)*, Oct. p.113
Vibrators feed small parts (Applications)*, Jan. p.138

## W

Washer has all-mechanical controls (Blackstone Corp.)*, June p.155
Washer employs V-belt reversing mechanism (D.O.M)*, June p.151
Washer, single piece X-type (Standard Locknut & Lockwasher)*, Nov. p.166
Washers, thrust, split (Saginaw Bearing)*, Dec. p.172
Watches, self-winding, May p.128
Water-jet paper edge trimmer (Scanning)*, Aug. p.107
Wear resisting alloys, selection for welding (Data Sheet), Jan. p.139
Welding:
alloy (Eutectic Welding Corp)*, May p.162
deep-throated parts (Applications)*, Jan. p.138
developments in, Oct. p.77
press, air-powered, water-cooled (D.O.M.)*, Feb. p.154
selection of wear-resisting alloys for (Data Sheet)*, Jan. p.139
solid-phase (Books)*, June p.174
stainless-steel belt made by, (Topics)*, Sept. p.98
Wheels, blower (Utility Appliance Corp.)*, May p.160
Wheels, pneumatic, detachable rim (Aerol Company)*, Aug. p.172
Wheels, rubber-tired (Circle Metal)*, Dec. p.168
Wheels, rubber-tired (Palmer Mfg. Co.)*, May p.158
Wings for aircraft cast of magnesium (Topics)*, June p.98
Wire forming, Dec. p.141
Wire rope, life of*, Feb. p.132

## Y, Z

Yarn-twisting machine (Farrel-Birmingham)*, May p.140
Zipper seal on supercharger airducts (Applications)*, July p.154

* Denotes short articles of less than one page.